

Shield security Alarm cable-----PE insulated and PVC jacketed

SOFTEL



Solid or Stranded, Bare Color Coded PE Insulation.
 Insulation Stranded with or without Polyester Tape.
 Rap Cord: Red Synthetic Fibre. . .
 Aluminum Foil Shield with Bare or Tinned, Solid or
 Stranded Copper Drain Wire.
 PVC Jacket.

Comply with Bs4737 Bs6360 Bs6746 Standard


Cross-Sectional Area mm ²	Construction No. of Wire/Diameter mm	Insulation Thickness mm	Jacket Thickness mm	Overall Diameter mm
2x0.22	2x7/0.20	0.2	0.7	3.9
4x0.22	4x7/0.20	0.2	0.7	4.4
6x0.22	6x7/0.20	0.2	0.7	5.0
8x0.22	8x7/0.20	0.2	0.7	5.4
10x0.22	10x7/0.20	0.2	0.7	6.2
12x0.22	12x7/0.20	0.2	0.7	6.4
14x0.22	14x7/0.20	0.2	0.7	6.6
16x0.22	16x7/0.20	0.2	0.7	7.4
20x0.22	20x7/0.20	0.2	0.7	7.8
2x0.20	2x1/0.50	0.2	0.7	3.1
4x0.20	4x1/0.50	0.2	0.7	3.6
6x0.20	6x1/0.50	0.2	0.7	4.2
8x0.20	8x1/0.50	0.2	0.7	4.6
10x0.20	10x1/0.50	0.2	0.7	5.3
12x0.20	12x1/0.50	0.2	0.7	5.5
14x0.20	14x1/0.50	0.2	0.7	5.9
16x0.20	16x7/0.50	0.2	0.7	6.3
20x0.20	20x1/0.50	0.2	0.7	6.6
2x0.28	2x1/0.60	0.2	0.7	3.9
4x0.28	4x1/0.60	0.2	0.7	4.5
6x0.28	6x1/0.60	0.2	0.7	5.0
8x0.28	8x1/0.60	0.2	0.7	5.4
10x0.28	10x1/0.60	0.2	0.7	6.0
12x0.28	12x1/0.60	0.2	0.7	6.4
14x0.28	14x1/0.60	0.2	0.7	6.6
20x0.28	20x1/0.60	0.2	0.7	7.8

Alarm cable

UN-shield security Alarm cable-----PE insulated and PVC jacketed

Solid or stranded, bare color coded PE insulation, insulation stranded with or without polyester tape. Rap Cord: synthetic fiber PVC jacket

Comply with Bs4737 Bs6360 Bs6746 Standard




Alarm cable

Cross-Sectional Area mm ²	Construction No. of Wire/Diameter mm	Insulation Thickness mm	Jacket Thickness mm	Overall Diameter mm
2x0.22	2x7/0.20	0.2	0.7	3.0
4x0.22	4x7/0.20	0.2	0.7	3.5
6x0.22	6x7/0.20	0.2	0.7	4.1
8x0.22	8x7/0.20	0.2	0.7	4.5
10x0.22	10x7/0.20	0.2	0.7	5.2
12x0.22	12x7/0.20	0.2	0.7	5.4
14x0.22	14x7/0.20	0.2	0.7	5.8
16x0.22	16x7/0.20	0.2	0.7	6.2
20x0.22	20x7/0.20	0.2	0.7	6.8
2x0.20	2x1/0.50	0.2	0.7	3.0
4x0.20	4x1/0.50	0.2	0.7	3.5
6x0.20	6x1/0.50	0.2	0.7	4.1
8x0.20	8x1/0.50	0.2	0.7	4.5
10x0.20	10x1/0.50	0.2	0.7	5.2
12x0.20	12x1/0.50	0.2	0.7	5.4
14x0.20	14x1/0.50	0.2	0.7	5.8
16x0.20	16x7/0.50	0.2	0.7	6.2
20x0.20	20x1/0.50	0.2	0.7	6.8
2x0.28	2x1/0.60	0.2	0.7	3.7
4x0.28	4x1/0.60	0.2	0.7	4.4
6x0.28	6x1/0.60	0.2	0.7	5.5
8x0.28	8x1/0.60	0.2	0.7	5.85
10x0.28	10x1/0.60	0.2	0.7	6.2
12x0.28	12x1/0.60	0.2	0.7	6.6
14x0.28	14x1/0.60	0.2	0.7	7.4
20x0.28	20x1/0.60	0.2	0.7	8.0

Un-Shield security Alarm cable-----PE insulated and PVC jacketed
 With 2 power cords

SOFTEL

Solid or Stranded, bare color coded PE insulation with 2 power cores.
 Insulation stranded with or without polyester tape.
 Rap Cord: synthetic fibre. .
 PVC jacket.




Comply with Bs4737 Bs6360 Bs6746 Standard

Cross-Sectional Area mm ²	Construction No.of Wire/Diameter mm	Jacket Thickness mm	Overall Diameter mm
2x0. 22+2x0. 5	2x7/0. 20+2x16/0. 20	0. 7	4. 8
4x0. 22+2x0. 5	4x7/0. 20+2x16/0. 20	0. 7	5. 4
6x0. 22+2x0. 5	6x7/0. 20+2x16/0. 20	0. 7	5. 8
8x0. 22+2x0. 5	8x7/0. 20+2x16/0. 20	0. 7	6. 6
10x0. 22+2x0. 5	10x7/0. 20+2x16/0. 20	0. 7	6. 9
12x0. 22+2x0. 5	12x7/0. 20+2x24/0. 20	0. 7	7. 0
2x0. 22+2x0. 75	2x7/0. 20+2x24/0. 20	0. 7	5. 4
4x0. 22+2x0. 75	4x7/0. 20+2x24/0. 20	0. 7	6. 0
6x0. 22+2x0. 75	6x7/0. 20+2x24/0. 20	0. 7	6. 4
8x0. 22+2x0. 75	8x7/0. 20+2x24/0. 20	0. 7	7. 2
10x0. 22+2x0. 75	10x7/0. 20+2x24/0. 20	0. 7	7. 5
12x0. 22+2x0. 75	12x7/0. 20+2x24/0. 20	0. 7	7. 6



Alarm cable

Shield security Alarm cable-----PE insulated and PVC jacketed
 With 2 power cords



Solid or Stranded, Bare. Color Coded PE Insulation
 with 2 Power Cores.

Insulation Stranded with or without Polyester Tape.

Rap Cord: Red Synthetic Fibre..

PVC Jacket.

Aluminum Foil Shield, Bare or Tinned, Solid or

Stranded Copper Drain Wire.

Comply with Bs4737 Bs6360 Bs6746 Standard

Alarm cable

Cross-Sectional Area mm ²	Construction No. of Wire/ Diameter mm	Jacket Thickness mm	Overall Diameter mm
2x0. 22+2x0. 5	2x7/0. 20+2x16/0. 20	0. 7	5. 4
4x0. 22+2x0. 5	4x7/0. 20+2x16/0. 20	0. 7	6. 0
6x0. 22+2x0. 5	6x7/0. 20+2x16/0. 20	0. 7	6. 4
8x0. 22+2x0. 5	8x7/0. 20+2x16/0. 20	0. 7	7. 2
10x0. 22+2x0. 5	10x7/0. 20+2x16/0. 20	0. 7	7. 4
12x0. 22+2x0. 5	12x7/0. 20+2x24/0. 20	0. 7	7. 6
2x0. 22+2x0. 75	2x7/0. 20+2x24/0. 20	0. 7	6. 0
4x0. 22+2x0. 75	4x7/0. 20+2x24/0. 20	0. 7	6. 6
6x0. 22+2x0. 75	6x7/0. 20+2x24/0. 20	0. 7	7. 0
8x0. 22+2x0. 75	8x7/0. 20+2x24/0. 20	0. 7	7. 8
10x0. 22+2x0. 75	10x7/0. 20+2x24/0. 20	0. 7	8. 0
12x0. 22+2x0. 75	12x7/0. 20+2x24/0. 20	0. 7	8. 2

